
Everything at a glance.

Proven quality from Germany, very handy and light.



Cross Cylinder

With AR coating









4367 20 ± 0.25 dpt.

4367 40 ± 0.50 dpt.



Cross Cylinder





437. . .

4370 25 ± 0.25 dpt.

4370 50 \pm 0.50 dpt.

4370 75 \pm 0.75 dpt.

4371 00 \pm 1.00 dpt.



Power Testing Bar

With AR coating

Effect in diopters: Sph. \pm 0.25 up to \pm 0.50 dpt.

4366 05



Ø 19 mm each







Power Testing Bar

Effect in diopters: Sph. \pm 0.25 up to \pm 0.50 dpt. Delivered in B&S Design Box

4373 00



21 mm each





Power Testing Bar Assortment

4 wooden bars in a matching wooden case. Effect in diopters: Sph. \pm 0.5 up to \pm 3.5 dpt. and \pm 4.0 up to \pm 12.0 dpt.



4373 50



21 mm each



Confirmation Test

4372 00

Effect in diopters: Sph. ± 0.25 dpt.

Ø 35 mm each

Binocular Confirmation Test Metal

Effect in diopters: Sph. ± 0.25 dpt. Adjustment of PD: 46 to 82 mm

4374 00







9 25 g



Binocular Confirmation Test Plastic

Adjustment of PD: 44 to 81 mm

4377.. Ø 35 mm each **3**7 g

4377 25 Effect in diopters: Sph. ± 0.25 dpt.

4377 50 Effect in diopters: Sph. ± 0.50 dpt.



Occluder

For cover test. Total length: 24.5 cm

4375 00







Multiple Pinhole Occluder

To measure vertical and lateral associated heterophoria, for both near and distance vision. Total length: 24.5 cm

4375 01







LANG Fixation Cube

To be used for the cover test and motility test.

4378 00







Ishihara Colour Chart

Book type, 14 charts. Size: DIN A5





Matsubara Colour Chart for Children

Book type, 10 charts, incl. 6 matching plates. Size: DIN A5



4476 20





